

QUALIFIED BY IAE UNDER LICENSING AGREEMENT

V2500

ENGINE TRANSPORTATION STAND

D71STA00004G04



- **V2500 POWERPLANT FOR AIRCRAFT A320 FAMILY**
- **STANDARD AIRCRAFT TRANSPORTATION**
- **STANDARD TRUCK TRANSPORTATION**
- **UNDER WING ENGINE INSTALLATION**

- **STOCK AVAILABILITY ON COMPONENTS**
- **ANNUAL FIT CHECK AND FUNCTION**
- **REPAIR / RECERTIFICATION**
- **UPGRADES AND MODIFICATIONS**













AOG - 24/7 HOTLINE: +1(802)4733341

DEDIENNE-AERO.COM | LEAPTOOLING.COM | NACELLETOOLING.COM  



V2500 ENGINE STAND SPECIFICATIONS

	WEIGHT	2100 Kg [4624 lbs]
	DIMENSIONS	4419 mm x 2413 mm x 1549 mm [174in x 95in x 61in]
	USAGE	Transport, install and remove V2500 engine
	INTERFACES WITH	FAN FRAME TURBINE REAR FRAME
	BOOTSTRAP POINTS	On engine stand cradle
	COUNTERWEIGHT	YES - To balance weight during bootstrap operation
	LIFTING SYSTEM	NO
	VERTICAL POSITIONS	1
	CASTER WHEEL TYPE	Swiveling caster; double wheel with 2 wheel pins
	CASTER WHEEL POSITIONS	4
	CASTER WHEEL POSITIONS	1) Ground position 2) Engine position 3) Middle course (To change lift bar orientation) 4) Empty stand caster position
	ISOLATION	8 shock absorbing mounts between cradle and trolley
	ISOLATION OBJECTIVE	Protect engine Interfaces from shock, vibration and acceleration during transportation
	STACKABLE	YES (Quantity: 3)
	TOWING CAPABILITY	FORWARD AND AFTWARD

