QUALIFIED BY CFM UNDER LICENSING AGREEMENT

## CFM56-7B ENGINE TRANSPORTATION STAND

P/N: D71STA00005G02



- CFM56-7B ENGINE FOR BOEING 737 / BOEING AEW&C / BOEING P-8 POSEIDON
- STANDARD AIRCRAFT TRANSPORTATION
- STANDARD TRUCK TRANSPORTATION
- ON-WING ENGINE INSTALLATION
- STACKABLE
- STOCK AVAILABILITY ON COMPONENTS
- · REPAIR / RECERTIFICATION
- UPGRADES AND MODIFICATIONS











## **CFM56-7B ENGINE STAND SPECIFICATIONS**

	WEIGHT	2100 kg [4,629 lbs]			
$\overset{\longleftarrow}{\longleftrightarrow}$	DIMENSIONS	4902 x 2464 x 1549 mm [193 x 97 x 61 in]			
	USAGE	Transport, remove and install CFM56-7B engine			
E	INTERFACES WITH	Fan Frame Turbine Rear Frame			
7 K	BOOTSTRAP POINTS	On engine			
$\uparrow\downarrow$	LIFTING SYSTEM VERTICAL POSITIONS	No 1			
Ŕ	CASTER WHEEL TYPE CASTER WHEEL POSITIONS	Swiveling caster; double wheel with 2 wheel pins  1) Ground position 2) Engine position 3) Middle course (To change lift bar orientation) 4) Empty stand caster position			
><	ISOLATION ISOLATION OBJECTIVE	8 shock absorbing mounts between cradle and trolley  Protect engine Interfaces from shock, vibration and acceleration during transportation			
	STACKABLE	Yes (Quantity: 3)			
$\overset{\textstyle \sim}{\longleftrightarrow}$	TOWING CAPABILITY	Forward and Aft			



ACCESSORIES	P/N	HIGH DEMAND SPARE PARTS	SERVICES	P/N
ENGINE COVER 3	856A3700	CASTER ASSEMBLY	PERIODIC RECERTIFICATION	PDEPANN2200037
		STEERING BEAM	SHOCK ABSORBER REPLACEMENT	PDEPREP2200047
		TOWBAR		
		WRENCH	-	
		SHOCK ABSORBERS*		

 $<sup>\</sup>hbox{$^*$ Check with the manufacturer the periodicity of your shock absorber replacement}\\$