


CFM56-5A/5B & V2500

POLYVALENT ENGINE TRANSPORTATION STAND

P/N: D71STA00004G05

- DUAL CONFIGURATION: CFM56-5A/5B (D71STA00004G08) & V2500 (D71STA00004G04)
- CFM56-5A/5B & IAE V2500 ENGINE FOR A320 FAMILY
- STANDARD AIRCRAFT TRANSPORTATION
- STANDARD TRUCK TRANSPORTATION
- ON-WING ENGINE INSTALLATION
- STACKABLE
- STOCK AVAILABILITY ON COMPONENTS
- REPAIR / RECERTIFICATION
- UPGRADES AND MODIFICATIONS













AOG - 24/7 HOTLINE: +1(802)4733341


DEDIENNE-AERO.COM | LEAPTOOLING.COM | NACELLETOOLING.COM  

DEDIENNE
AEROSPACE



CFM56-5A/5B & V2500 ENGINE STAND SPECIFICATIONS

	WEIGHT	2300 kg [5,070 lbs]
	DIMENSIONS	4420 x 2413 x 1549 mm [174 x 95 x 61 in]
	USAGE	Transport, remove and install CFM56-5A/5B & IAE V2500 engine
	INTERFACES WITH	Fan Frame Turbine Rear Frame
	BOOTSTRAP POINTS	On engine stand cradle
	LIFTING SYSTEM	No
	VERTICAL POSITIONS	1
	CASTER WHEEL TYPE	Swiveling caster; double wheel with 2 wheel pins
	CASTER WHEEL POSITIONS	1) Ground position 2) Engine position 3) Middle course (To change lift bar orientation) 4) Empty stand caster position
	ISOLATION	8 shock absorbing mounts between cradle and trolley
	ISOLATION OBJECTIVE	Protect engine Interfaces from shock, vibration and acceleration during transportation
	STACKABLE	Yes (Quantity: 3)
	TOWING CAPABILITY	Forward and Aft



ACCESSORIES	P/N	HIGH DEMAND SPARE PARTS	SERVICES	P/N
ENGINE COVER 5A	856A2782	CASTER ASSEMBLY	PERIODIC RECERTIFICATION	PDEPANN2200039
ENGINE COVER 5B	856A2930	STEERING BEAM	SHOCK ABSORBER REPLACEMENT	PDEPREP2200042
		TOWBAR		
		WRENCH		
		SHOCK ABSORBERS*		

* Check with the manufacturer the periodicity of your shock absorber replacement

06-2022 // 3