

ENGINE STANDS



#MUCHMORETHANTOOLS





CONTENTS

CFM56-5A/5B ENGINE STAND.....	4	PW4000-100 ENGINE STAND.....	24
CFM56-5C ENGINE STAND	6	TRENT XWB - BASIC STAND ENGINE STAND.....	26
CFM56-7B ENGINE STAND.....	8	TRENT XWB - NEW WES ENGINE STAND.....	28
CFM56-3 ENGINE STAND	10	TRENT XWB - SES ENGINE STAND.....	30
CFM56-5A/5B & V2500 ENGINE STAND.....	12	TRENT 700 ENGINE STAND.....	32
V2500 ENGINE STAND	14	TRENT 7000 ENGINE STAND.....	34
LEAP-1A ENGINE STAND	16	GE9X ENGINE STAND.....	36
LEAP-1B ENGINE STAND	18	ENGINEERING SOLUTIONS	38
LEAP-1C ENGINE STAND	20	TOOLING SERVICES	40
PW1100 GTF ENGINE STAND.....	22	CONTACT	42

CFM56-5A/5B

ENGINE TRANSPORTATION STAND

QUALIFIED BY CFM UNDER LICENSING AGREEMENT

- CFM56-5A/5B ENGINE FOR A320 FAMILY
- STANDARD AIRCRAFT TRANSPORTATION
- STANDARD TRUCK TRANSPORTATION
- ON-WING ENGINE INSTALLATION
- STACKABLE

- STOCK AVAILABILITY ON COMPONENTS
- REPAIR / RECERTIFICATION
- UPGRADES AND MODIFICATIONS

P/N: D71STA00004G08

ACCESSORIES	P/N	HIGH DEMAND SPARE PARTS	SERVICES	P/N
ENGINE COVER 5A	856A2782	CASTER ASSEMBLY	PERIODIC RECERTIFICATION	PDEPANN2200035
ENGINE COVER 5B	856A2930	STEERING BEAM	SHOCK ABSORBER REPLACEMENT	PDEPREP2200048
		TOWBAR		
		WRENCH		
		SHOCK ABSORBERS*		

* Check with the manufacturer the periodicity of your shock absorber replacement



 **WEIGHT**
2250 kg [4,959 lbs]

 **DIMENSIONS**
4420 x 2413 x 1549 mm [174 x 95 x 61 in]



CFM56-5C

ENGINE TRANSPORTATION STAND


QUALIFIED BY CFM UNDER LICENSING AGREEMENT

P/N: D71STA00004G06

- CFM56-5C ENGINE FOR A340-200/300 FAMILY
- STANDARD AIRCRAFT TRANSPORTATION
- STANDARD TRUCK TRANSPORTATION
- ON-WING ENGINE INSTALLATION
- STACKABLE
- STOCK AVAILABILITY ON COMPONENTS
- REPAIR / RECERTIFICATION
- UPGRADES AND MODIFICATIONS

ACCESSORIES	P/N	HIGH DEMAND SPARE PARTS	SERVICES	P/N
ENGINE COVER 5C	856A2330	CASTER ASSEMBLY	PERIODIC RECERTIFICATION	PDEPANN2200036
		STEERING BEAM	SHOCK ABSORBER REPLACEMENT	PDEPREP2200059
		TOWBAR		
		WRENCH		
		SHOCK ABSORBERS*		

* Check with the manufacturer the periodicity of your shock absorber replacement

 **WEIGHT**
2250 kg [4,960 lbs]

 **DIMENSIONS**
4902 x 2464 x 1549 mm [193 x 97 x 61 in]

CFM56-7B

ENGINE TRANSPORTATION STAND

QUALIFIED BY CFM UNDER LICENSING AGREEMENT

- CFM56-7B ENGINE FOR BOEING 737 / BOEING AEW&C / BOEING P-8 POSEIDON
- STANDARD AIRCRAFT TRANSPORTATION
- STANDARD TRUCK TRANSPORTATION
- ON-WING ENGINE INSTALLATION
- STACKABLE

ACCESSORIES	P/N	HIGH DEMAND SPARE PARTS	SERVICES	P/N
ENGINE COVER 7B	856A3700	CASTER ASSEMBLY	PERIODIC RECERTIFICATION	PDEPANN2200037
		STEERING BEAM	SHOCK ABSORBER REPLACEMENT	PDEPREP2200047
		TOWBAR		
		WRENCH		
		SHOCK ABSORBERS*		

* Check with the manufacturer the periodicity of your shock absorber replacement

P/N: D71STA00005G02

- STOCK AVAILABILITY ON COMPONENTS
- REPAIR / RECERTIFICATION
- UPGRADES AND MODIFICATIONS



 **WEIGHT**
2100 kg [4,629 lbs]

 **DIMENSIONS**
4902 x 2464 x 1549 mm [193 x 97 x 61 in]



WEIGHT
2400 kg [5,292 lbs]



DIMENSIONS
4902 x 2464 x 1549 mm [193 x 97 x 61 in]

CFM56-3

ENGINE TRANSPORTATION STAND

FINAL QUALIFICATION PROCESS BY SAFRAN AIRCRAFT ENGINES ENGINE REMOVAL ON AIRCRAFT WITH T/R*

P/N: D71STA00005G01

- CFM56-3 ENGINE FOR BOEING 737-300/400/500
- POLYVALENT -3/-7 AVAILABLE
- STANDARD AIRCRAFT TRANSPORTATION
- STANDARD TRUCK TRANSPORTATION
- ON-WING ENGINE INSTALLATION
- STACKABLE
- STOCK AVAILABILITY ON COMPONENTS
- REPAIR / RECERTIFICATION
- UPGRADES AND MODIFICATIONS

ACCESSORIES	P/N	HIGH DEMAND SPARE PARTS	SERVICES	P/N
ENGINE COVER 3	856A3505	CASTER ASSEMBLY	PERIODIC RECERTIFICATION	PDEPANN2200038
		STEERING BEAM	SHOCK ABSORBER REPLACEMENT	PDEPREP2200051
		TOWBAR		
		WRENCH		
		SHOCK ABSORBERS**		

** Check with the manufacturer the periodicity of your shock absorber replacement

CFM56-5A/5B & V2500

POLYVALENT ENGINE TRANSPORTATION STAND

P/N: D71STA00004G05

- DUAL CONFIGURATION: CFM56-5A/5B (D71STA00004G08) & V2500 (D71STA00004G04)
- CFM56-5A/5B & IAE V2500 ENGINE FOR A320 FAMILY
- STANDARD AIRCRAFT TRANSPORTATION
- STANDARD TRUCK TRANSPORTATION
- ON-WING ENGINE INSTALLATION
- STACKABLE
- STOCK AVAILABILITY ON COMPONENTS
- REPAIR / RECERTIFICATION
- UPGRADES AND MODIFICATIONS

ACCESSORIES	P/N	HIGH DEMAND SPARE PARTS	SERVICES	P/N
ENGINE COVER 5A	856A2782	CASTER ASSEMBLY	PERIODIC RECERTIFICATION	PDEPANN2200039
ENGINE COVER 5B	856A2930	STEERING BEAM	SHOCK ABSORBER REPLACEMENT	PDEPREP2200042
		ENGINE MOUNT		
		TOWBAR		
		WRENCH		
		SHOCK ABSORBERS*		

* Check with the manufacturer the periodicity of your shock absorber replacement



 **WEIGHT**
2300 kg [5,070 lbs]

 **DIMENSIONS**
4420 x 2413 x 1549 mm [174 x 95 x 61 in]



WEIGHT
2300 kg [5,070 lbs]



DIMENSIONS
4419 x 2413 x 1549 mm [174 x 95 x 61 in]

V2500

ENGINE TRANSPORTATION STAND

QUALIFIED BY IAE UNDER LICENSING AGREEMENT

P/N: D71STA00004G04

- IAE V2500 ENGINE FOR A320 FAMILY
- STANDARD AIRCRAFT TRANSPORTATION
- STANDARD TRUCK TRANSPORTATION
- ON-WING ENGINE INSTALLATION
- STACKABLE

- STOCK AVAILABILITY ON COMPONENTS
- REPAIR / RECERTIFICATION
- UPGRADES AND MODIFICATIONS

HIGH DEMAND SPARE PARTS	SERVICES	P/N
CASTER ASSEMBLY	PERIODIC RECERTIFICATION	PDEPANN2200040
STEERING BEAM	SHOCK ABSORBER REPLACEMENT	PDEPREP2200128
TOWBAR		
WRENCH		
SHOCK ABSORBERS*		

* Check with the manufacturer the periodicity of your shock absorber replacement

LEAP-1A

ENGINE TRANSPORTATION STAND

QUALIFIED BY CFM UNDER LICENSING AGREEMENT

P/N: 956A7644G03


- LEAP-1A ENGINE FOR A320NEO FAMILY
- STANDARD AIRCRAFT TRANSPORTATION
- STANDARD TRUCK TRANSPORTATION
- ON-WING ENGINE INSTALLATION
- STACKABLE

- STOCK AVAILABILITY ON COMPONENTS
- REPAIR / RECERTIFICATION
- UPGRADES AND MODIFICATIONS

ACCESSORIES	P/N	HIGH DEMAND SPARE PARTS	SERVICES	P/N
ADAPTER (FRONT)	956A6046	STEERING BAR	PERIODIC RECERTIFICATION	PCFPANN2200092
BRACKET (REAR)	956A7314	TOWBAR	SHOCK ABSORBER REPLACEMENT	PCFPREP2200020
QEC COVER	956A7683	CASTER		
BARE ENGINE COVER	956A6635	SHOCK ABSORBERS*		

* Check with the manufacturer the periodicity of your shock absorber replacement



 **WEIGHT**
2853 kg [6,250 lbs]

 **DIMENSIONS**
4775 x 2591 x 1727 mm [188 x 102 x 68 in]



LEAP-1B

ENGINE TRANSPORTATION STAND

QUALIFIED BY CFM UNDER LICENSING AGREEMENT

P/N: 956A8600G04

- LEAP-1B ENGINE FOR B737 MAX FAMILY
- STANDARD AIRCRAFT TRANSPORTATION
- STANDARD TRUCK TRANSPORTATION
- ON-WING ENGINE INSTALLATION
- STACKABLE
- STOCK AVAILABILITY ON COMPONENTS
- REPAIR / RECERTIFICATION
- UPGRADES AND MODIFICATIONS

ACCESSORIES	P/N	HIGH DEMAND SPARE PARTS	SERVICES	P/N
ADAPTER (FRONT)	956A8018	TRANSPORTATION PIN	PERIODIC RECERTIFICATION	PCFPANN2200090
BRACKET (REAR)	956A8667	WHEEL SUPPORT	SHOCK ABSORBER REPLACEMENT	PCFPREP2200022
QEC COVER	956A8676	TOWBAR		
BARE ENGINE COVER	956A8657	STACKING STORAGE AXLE		
		HEXAGONAL KEY		
		SHOCK ABSORBERS*		

* Check with the manufacturer the periodicity of your shock absorber replacement



WEIGHT
2380 kg [5,247 lbs]



DIMENSIONS
4775 x 2489 x 1549 mm [188 x 98 x 61 in]

LEAP-1C

ENGINE TRANSPORTATION STAND

QUALIFIED BY CFM UNDER LICENSING AGREEMENT

P/N: 956A7626G01

- LEAP-1C ENGINE FOR COMAC C919 FAMILY
- STANDARD AIRCRAFT TRANSPORTATION
- STANDARD TRUCK TRANSPORTATION
- ON-WING ENGINE INSTALLATION
- STACKABLE

- STOCK AVAILABILITY ON COMPONENTS
- REPAIR / RECERTIFICATION
- UPGRADES AND MODIFICATIONS

ACCESSORIES	P/N	HIGH DEMAND SPARE PARTS	SERVICES	P/N
ADAPTER (FRONT)	956A6000	WHEEL SUPPORT	PERIODIC RECERTIFICATION	PCFPANN2200091
BRACKET (REAR)	956A7314	STEERING TUBE	SHOCK ABSORBER REPLACEMENT	PCFPREP2200147
QEC COVER	956A7685	TOWBAR		
BARE ENGINE COVER	956A7684	SHOCK ABSORBERS*		

* Check with the manufacturer the periodicity of your shock absorber replacement



 **WEIGHT**
3054 kg [6,731 lbs]

 **DIMENSIONS**
4625 x 3000 x 1741 mm [182 x 118 x 68 in]



WEIGHT
2569 kg [5,665 lbs]



DIMENSIONS
3937 x 2438 x 1684 mm [155 x 96 x 66 in]

PW1100 GTF

ENGINE TRANSPORTATION STAND

P/N: PWA211815
QUALIFIED BY PRATT & WHITNEY*

P/N: D71STA00022G03
QUALIFIED BY AIRBUS**

- PW1100 ENGINE FOR A320NEO FAMILY
 - STANDARD AIRCRAFT TRANSPORTATION
 - STANDARD TRUCK TRANSPORTATION
 - ON-WING ENGINE INSTALLATION
 - STACKABLE
- STOCK AVAILABILITY ON COMPONENTS
 - REPAIR / RECERTIFICATION
 - UPGRADES AND MODIFICATIONS

PWA211815		D71STA00022G03	
HIGH DEMAND SPARE PARTS			
CASTER ASSEMBLY			
TOWBAR			
STEERING BEAM			
SHOCK ABSORBERS <i>Check with the manufacturer the periodicity of your shock absorber replacement</i>			
SERVICES		SERVICES	
	P/N		P/N
PERIODIC RECERTIFICATION	PPWPANN2200010	PERIODIC RECERTIFICATION	PDEPANN2200033
SHOCK ABSORBER REPLACEMENT	PPWPREP2200001	SHOCK ABSORBER REPLACEMENT	PDEPREP2200044

* PWA211815 (Dedienne Aerospace, license PW for Engine R/I and Air transportation) is alternate with PWA211430. This P/N may be used for delivery of spare engines by PW to PW1100 GTF Customers. This P/N may be used for EIS Tooling Initial Provisioning of A320neo Aircraft, for the scope of Engine Removal/Installation on Line/Base Maintenance or AOG needs with Engine Air shipping.

** D71STA00022G03 is qualified by AIRBUS in A320neo AMM for PW1100 GTF Engines. It is suitable for Engine Removal/Installation, and engine air transportation. It is alternate with PWA211430.

PW4000-100

ENGINE TRANSPORTATION STAND

QUALIFIED BY PRATT & WHITNEY UNDER LICENSING AGREEMENT


- PW4000-100 ENGINE FOR A330 FAMILY
- STANDARD AIRCRAFT TRANSPORTATION
- STANDARD TRUCK TRANSPORTATION
- ON-WING ENGINE INSTALLATION
- STOCK AVAILABILITY ON COMPONENTS
- REPAIR / RECERTIFICATION
- UPGRADES AND MODIFICATIONS

P/N: D71STA00017G01

HIGH DEMAND SPARE PARTS	SERVICES	P/N
AFT INTERFACE	PERIODIC RECERTIFICATION	PDEPANN2200034
FORWARD INTERFACE	SHOCK ABSORBER REPLACEMENT	PDEPREP2200127
STEERING BEAM		
SHOCK ABSORBERS*		

* Check with the manufacturer the periodicity of your shock absorber replacement



 **WEIGHT**
2650 kg [5,840 lbs]

 **DIMENSIONS**
5195 x 2924 x 2129 mm [204 x 115 x 84 in]





WEIGHT
RRT102553
3335 kg [7,352 lbs]
RRT102554
3740 kg [8,246 lbs]



DIMENSIONS
CASTORS STOWED: 5190 x 2500 x 2427 mm [204 x 98 x 96 in]
CASTORS DEPLOYED: 5080 x 2500 x 2525 mm [200 x 98 x 99 in]

TRENT XWB BASIC STAND

ENGINE TRANSPORTATION STAND

QUALIFIED BY ROLLS-ROYCE UNDER LICENSING AGREEMENT

P/N: RRT102553
WORKSHOP VERSION

P/N: RRT102554
AFTERMARKET VERSION

- TRENT XWB ENGINE FOR A350 FAMILY
- TRANSPORTATION EMPTY STAND > 777F & 747F WITH ENGINE & INTAKE > A-124
- TRANSPORTATION ROAD OR SEA FREIGHT A WHOLE ENGINE OR QEC
- ON-WING ENGINE INSTALLATION
- STOCK AVAILABILITY ON COMPONENTS
- REPAIR / RECERTIFICATION
- UPGRADES AND MODIFICATIONS

RRT102553 / WORKSHOP VERSION		RRT102554 / AFTERMARKET VERSION	
ACCESSORIES	P/N	ACCESSORIES	P/N
BASIC STAND LIFT ADAPTERS	RRT089154	BASIC STAND LIFT ADAPTERS	RRT089154
MVP BAG WHOLE ENGINE	RRT089146	MVP BAG WHOLE ENGINE	RRT089147
MVP BAG QECU	RRT089148	MVP BAG QECU	RRT089149
HIGH DEMAND SPARE PARTS		HIGH DEMAND SPARE PARTS	
TRANSPORTATION BASE		TRANSPORTATION BASE	
CASTOR ASSEMBLY		CASTOR ASSEMBLY	
TOWBAR ASSEMBLY		TOWBAR ASSEMBLY	
REAR SUPPORT		YOKE SUPPORT	
SHOCK ABSORBERS	<i>Check with the manufacturer the periodicity of your shock absorber replacement</i>	SHOCK ABSORBERS	<i>Check with the manufacturer the periodicity of your shock absorber replacement</i>
SERVICES	P/N	SERVICES	P/N
PERIODIC RECERTIFICATION	PRRPANN2200081	PERIODIC RECERTIFICATION	PRRPANN2200082
SHOCK ABSORBER REPLACEMENT	PRRPREP2200113	SHOCK ABSORBER REPLACEMENT	PRRPREP2200019

TRENT XWB NEW WES

ENGINE TRANSPORTATION STAND


QUALIFIED BY ROLLS-ROYCE UNDER LICENSING AGREEMENT

P/N: RRT089140

- TRENT XWB ENGINE FOR A350 FAMILY
- STOCK AVAILABILITY ON COMPONENTS
- TRANSPORTATION EMPTY STAND > 777F & 747F WITH ENGINE & INTAKE > A-124
- REPAIR / RECERTIFICATION
- LOW ROAD-FREIGHT PACKAGE HEIGHT ONCE ENGINE IS ROLLED (3.6M)
- UPGRADES AND MODIFICATIONS
- TRANSPORTATION ROAD OR SEA FREIGHT A WHOLE ENGINE OR QEC
- ON-WING ENGINE INSTALLATION

ACCESSORIES	P/N	HIGH DEMAND SPARE PARTS	SERVICES	P/N
WES LIFT ADAPTERS	RRT089159	FRAME COMPLETE RIGHT WHEEL PLATE	PERIODIC RECERTIFICATION	PRRPANN2200083
MVP BAG WHOLE ENGINE	RRT092610	FRAME COMPLETE LEFT WHEEL PLATE	SHOCK ABSORBER REPLACEMENT	PRRPREP2200020
MVP BAG QECU	RRT092611	FRAME INTERNAL TOWBAR		
		FRAME EXTERNAL TOWBAR		
		SHOCK ABSORBERS*		

* Check with the manufacturer the periodicity of your shock absorber replacement



WEIGHT
5500 kg [12,236 lbs]



DIMENSIONS
CASTORS STOWED: 4845 x 3200 x 2455 mm [191 x 126 x 97 in]
CASTORS DEPLOYED: 4860 x 3200 x 2545 mm [19 x 126 x 100 in]



WEIGHT

CORE STAND
8500 kg [18,750 lbs]
FAN CASE STAND
7000 kg [15,450 lbs]
STORAGE CONTAINER
4057 kg [8,956 lbs]



DIMENSIONS

CORE STAND
5640 x 2986 x 2550 mm [222 x 118 x 101 in]
FAN CASE STAND
4978 x 5410 x 2284 mm [196 x 213 x 90 in]
STORAGE CONTAINER
2322 x 3062 x 2347 mm [91 x 121 x 92 in]

TRENT XWB SES

ENGINE TRANSPORTATION STAND - QUALIFIED BY ROLLS-ROYCE UNDER LICENSING AGREEMENT

RRT105698 | RRT057892-4 | RRT103183
CORE STAND | FAN CASE STAND | STORAGE CONTAINER

- TRENT XWB ENGINE FOR A350 FAMILY
- 3 PRODUCTS: Core stand, Fan case stand, Storage container
- CORE STAND:
 - On-wing removal/installation of the Trent XWB 84/-97 Engine using the bootstrap adaptor
 - Storage of the complete Engine or Core configuration
 - Airfreight the complete engine or QECU in both the Antonov AN124 and the Airbus Beluga with an integral airfreight pallet
- ALL STANDS:
 - Transportation of an engine in a split configuration (B747F or B777F aircraft) by Road, Sea & Air
 - Fully shock attenuated to protect the engine during transportation
 - Can be lifted both empty and with the engine installed using either a forklift or crane with the appropriate tooling and capability

TRENT XWB SES ACCESSORIES FOR CORE STAND, FAN CASE STAND & STORAGE CONTAINER					
IMMOBILISER	RRT087465	CORE FAIRING ADAPTOR	RRT109747-2		
RRT105698 / CORE STAND		RRT057892-4 / FAN CASE		RRT103183 / STORAGE KIT	
ACCESSORIES		ACCESSORIES		ACCESSORIES	
	P/N		P/N		P/N
MVP BAG WHOLE ENGINE	RRT096712	MVP BAG	RRT063892	MVP BAG UPPER BAG	MK029-U
MVP BAG QECU	RRT096713	HIGH DEMAND SPARE PARTS		MVP BAG LOWER BAG	MK029-L
MVP BAG CORE ENGINE	RRT096711	SCREW		SERVICES	
HIGH DEMAND SPARE PARTS		PALLET		PERIODIC RECERTIFICATION	
		CASTER		PRRPANN2200087	
TOWBAR		ALLEN KEY			
PALLET		SERVICES		P/N	
HEX HEAD BOLT		PERIODIC RECERTIFICATION		PRRPANN2200085	
SPRING ELEMENT		SHOCK ABSORBER REPLACEMENT		PRRPREP2200022	
SERVICES		P/N			
PERIODIC RECERTIFICATION		PRRPANN2200084			
SHOCK ABSORBER REPLACEMENT		PRRPREP2200022			

TRENT 700

ENGINE TRANSPORTATION STAND

QUALIFIED BY ROLLS-ROYCE UNDER LICENSING AGREEMENT

HU55280-3
TROLLEY

HU55281-4
CRADLE

HU55094
TOWBAR


= SHIPPING STAND

- TRENT 700 ENGINE FOR A330 FAMILY
 - TRANSPORTATION WITH ENGINE > B747 FAMILY
 - ON-WING ENGINE INSTALLATION
- STOCK AVAILABILITY ON COMPONENTS
 - REPAIR / RECERTIFICATION
 - UPGRADES AND MODIFICATIONS

HU55280-3 / TROLLEY		HU55281-4 / CRADLE		HU55094 / TOWBAR	
ACCESSORIES	P/N	ACCESSORIES	P/N	HIGH DEMAND SPARE PARTS	P/N
STEADY ENGINE MOUNTS	HU55105-2	MVP BAG	HU45311	TOWBAR	HU55094
HIGH DEMAND SPARE PARTS		HIGH DEMAND SPARE PARTS		SERVICES	P/N
PALLET		BUSH SPHERIAL		PERIODIC RECERTIFICATION	PRRPANN2200090
SHOCK ABSORBER RH FRONT*		WRENCH			
SHOCK ABSORBER LH FRONT*		BEAM SUPPORT REAR			
SHOCK ABSORBER REAR*		ARM SUPPORT REAR			
SERVICES	P/N	SERVICES	P/N		
PERIODIC RECERTIFICATION	PRRPANN2200088	PERIODIC RECERTIFICATION	PRRPANN2200089		
SHOCK ABSORBER REPLACEMENT	PRRPREP2200024				

* Check with the manufacturer the periodicity of your shock absorber replacement



**WEIGHT**
EMPTY STAND
3317 kg [7,297 lbs]
STAND WITH QEC
11 752 kg [19,987 lbs]

**DIMENSIONS**
EMPTY STAND
5055 x 3607 x 1900 mm [199 x 142 x 75 in]
STAND WITH QEC
7600 x 3404 x 3292 mm [299 x 134 x 129 in]



TRENT 7000

ENGINE TRANSPORTATION STAND

QUALIFIED BY ROLLS-ROYCE UNDER LICENSING AGREEMENT

P/N: RRT095052-3

- TRENT 7000 ENGINE FOR A330NEO FAMILY
- STOCK AVAILABILITY ON COMPONENTS
- TRANSPORTATION EMPTY STAND > 777F & 747F
WITH ENGINE & INTAKE > B747F
LOW ROAD-FREIGHT PACKAGE HEIGHT ONCE ENGINE IS
ROLLED (3.07M)
- REPAIR / RECERTIFICATION
- ON-WING ENGINE INSTALLATION
- UPGRADES AND MODIFICATIONS

ACCESSORIES	P/N	HIGH DEMAND SPARE PARTS	SERVICES	P/N
BAG - MVP REPAIR KIT (GREY)	RRT102433	WHEEL LEVER	PERIODIC RECERTIFICATION	PRRPANN2200086
		TOWBAR	SHOCK ABSORBER REPLACEMENT	PRRPREP2200112
		PALLET		
		ROLLER		
		CASTER		
		SHOCK ABSORBERS*		

* Check with the manufacturer the periodicity of your shock absorber replacement

**WEIGHT**
6430 kg [14,180 lbs]

**DIMENSIONS**
EMPTY STAND
5430 x 4095 x 2206 mm [214 x 161 x 87 in]

GE9X

ENGINE TRANSPORTATION STAND

DEDIENNE AEROSPACE IS LICENSEE OF GE AVIATION FOR GE9X TOOLING

P/N: 8C2604P04

- GE9X ENGINE FOR BOEING 777X
 - STORAGE AND TRUCK / AIR TRANSPORTATION OF GE9X ENGINE
 - ON-WING ENGINE INSTALLATION
 - HYDRAULIC LIFTING CRADLE WITH 3 POSITIONS
FULL ENGINE: MAX HEIGHT WITHOUT INLET 116,5"
TRUCK SHIPMENT 179" RESTRICTION (DRAIN MAST REMOVED): MAX HEIGHT 161"
PROPULSOR ONLY: MAX HEIGHT 122"
- AIRFREIGHT PALLET DIMENSIONS: 196" X 96" - NO STC / LASHING MANDATORY
 - FORKLIFT CAPABILITY FOR PROPULSOR ONLY
 - HYDRAULIC CASTORS TO LIFT THE FULLY LOADED STAND
 - HYDRAULIC SYSTEM POWERED BY CRANK ARM AND PNEUMATIC MOTOR (INCLUDED)

ACCESSORIES	P/N	HIGH DEMAND SPARE PARTS	SERVICES	P/N
BRACKET TRF	8C2626	CASTER ASSEMBLY L	PERIODIC RECERTIFICATION	PGEPANN2200028
BRACKET AFC	8C2661	CASTER ASSEMBLY R	SHOCK ABSORBER REPLACEMENT	PGEPREP2200034
FHF MOUNT	8C2601	TOWBAR		
AN-124 LIFTING TOOL	D71FIX00003G01	STEERING TUBE		
		CRANK ARM		
		PALLET		
		SHOCK ABSORBERS*		

* Check with the manufacturer the periodicity of your shock absorber replacement



WEIGHT
EMPTY STAND
5300 kg [11,700 lbs]
STAND + PROPULSOR
12 800 kg [28,212 lbs]
STAND + FULL ENGINE
15 400 kg [33,942 lbs]



DIMENSIONS
5750 x 2590 x 1480 mm [227 x 102 x 62 in]



Special engine stand for engine test-cell use



TAILOR MADE ENGINEERING SOLUTIONS

- WORKSHOP USE / TRUCK TRANSPORTATION / AIR TRANSPORTATION
- BUILD-IN COBRA INTERFACES
- PLATFORM, SAFETY FENCE AND PADDING FOR OPERATOR SAFE ACCESS

ENGINE STANDS SERVICES



- Visual inspection
- Functional inspection
- Hydraulic system full check (if existing)
- Pallet inspection
- Cover inspection & repair
- Gps tracking device inspection
- Greasing, cleaning

10 000

INSPECTIONS & REPAIRS
ON CUSTOMER SITE SINCE 2011

MINOR REPAIRS



- Corrosion removal
- Local painting rework
- Minor component replacement
- Hydraulic component replacement
- Anti skid strips replacement
- ...

500

SUPPORTS ON LAST MINUTE
PROBLEMS

MEDIUM REPAIRS



- Arms replacement
- Shocks absorbers replacement
- Casters replacement
- Trunions replacement
- Towbars replacement
- ...

550

STAND REPAIRS LAST YEAR

MAJOR REPAIRS & MODIFICATIONS



- Pallet replacement
- Lifting system replacement
- Translation system replacement
- Hydraulic system full rework
- Upgrades/Modifications as per SB
- ...

1200

MAJOR REPAIRS SINCE 2011

STAND REFURBISHMENT



- In/out as new

750

REFURBISHED STANDS SINCE 2011




SALES & TECHNICAL SUPPORT

NORTH & SOUTH AMERICAS	sales.americas@dedienne-aero.com	support.americas@dedienne-aero.com
EUROPE	sales.europe@dedienne-aero.com	support.europe@dedienne-aero.com
MIDDLE EAST, AFRICA & TURKEY	sales.mea@dedienne-aero.com	support.mea@dedienne-aero.com
INDIA	sales.india@dedienne-aero.com	support.india@dedienne-aero.com
SINGAPORE & ASIA PACIFIC	sales.sea@dedienne-aero.com	support.sea@dedienne-aero.com
CHINA & HONG-KONG	sales.cn@dedienne-aero.com	support.cn@dedienne-aero.com



CHECK OUR LOCATIONS ON:
DEDIENNE-AERO.COM



SOCIAL MEDIAS



LINKEDIN.COM/COMPANY/
DEDIENNE-AEROSPACE



@DEDIENNEAEROSPACE





DEDIENNE-AERO.COM